



Date of Issue: 17 September 2016

Sanifoam

1. IDENTIFICATION OF MATERIAL AND SUPPLIER

Product Name	Sanifoam
Code	50696
Product Use	Foaming instant hand sanitiser for food preparation areas and general use.
Company Name	Dominant (Australia) Pty Ltd
Address	12 Coglein Street, Brompton SA 5007, Australia
Telephone	1300 789 852 or +61 (8) 8245 6900
Facsimile	+ 61 (8) 8340 1626
Emergency Phone	13 11 26

2. HAZARDS IDENTIFICATION

GHS Classification	Flammable Liquid 3
Signal Word	WARNING
Hazard Statements	Flammable liquid and vapour
Precautionary Statements	Keep out of reach of children. Keep away from sources of ignition – No smoking. Do not use on broken skin. Store in a well-ventilated place. Keep cool. Refer to Safety Data Sheet before using product. In case of fire use carbon dioxide, dry chemical or alcohol stable foam for extinction. Dispose of contents/container in accordance with state regulations.

Pictograms



3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Ethanol	64-17-5	30 - 60%
	Ingredients determined not to be hazardous		Balance

Date of Issue: 17 September 2016

Product name: Sanifoam

4. FIRST AID MEASURES

Ingestion	If swallowed do NOT induce vomiting. Immediately wash out mouth with water, and give water to drink.
Eye	If in eyes, hold eye lids apart and flush the eye continuously with running water. Continue flushing for at least 15 minutes. Seek medical attention if irritation persists.
Skin	If irritation occurs, wash off with water.
Inhaled	Not applicable due to small amounts used.
First Aid Facilities	An eye wash and general washing facility should be available adjacent to the work area.
Advice to Doctor	Treat symptomatically. For advice contact a Poisons Information Centre. (Phone Australia 131 126; New Zealand 0800 764 766)

5. FIRE FIGHTING MEASURES

Extinguishing Media	Use carbon dioxide, dry chemical or alcohol stable foam for extinction.
Hazards from Combustion	Burning can produce carbon monoxide and/or carbon dioxide
Precautions for Fire Fighters	Flammable liquid. If large quantities are involved, may form flammable mixtures with air. Burns with a colourless flame. The vapour is heavier than air and may travel along the ground; distant ignition and flash back are possible. Run off to sewers and drains may cause explosions.
Hazchem	2[Y]E

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures	In the event of spillage eliminate all sources of ignition and take measures to prevent static discharge – no smoking. Ventilate area. Keep unauthorised people away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Clean Up	For minor spills mop up and rinse with water. For larger spills absorb material on mineral absorbent material or absorbent pads. Collect and put into plastic bags or containers and dispose of through waste disposal contractor. Rinse area with plenty of water.

Date of Issue: 17 September 2016

Product name: Sanifoam**7. HANDLING AND STORAGE**

Handling	Use in well ventilated area. Keep containers closed when not in use. Maintain a high standard of personal hygiene.
Storage	Store in a cool, dry, well ventilated place out of direct sunlight. Store in closed containers. Store away from incompatible materials such as oxidising agents. Ensure storage area is secure.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards	None listed for product. However Exposure standard for ethanol: TWA 1000ppm (1880 mg/m ³)
Engineering Controls	Ensure ventilation is adequate to maintain air concentrations below exposure standard.
Personal Protective Equipment	Not required when using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear colourless liquid
Solubility in Water	Soluble in all proportions
pH	5.5
Flash Point	26°C
Melting Point	Not available
Boiling Point	80°C
Specific Gravity	0.955

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Hazardous Polymerisation	Will not occur
Conditions to Avoid	Heat, sparks, flame and build up of static electricity.
Incompatible Materials	Will react with strong oxidising agents

Date of Issue: 17 September 2016

Product name: Sanifoam**11. TOXICOLOGICAL INFORMATION**

Ingestion	Swallowing significant amounts can result in nausea, vomiting, diarrhoea, abdominal pain and drunkenness or harmful central nervous system effects.
Eye	Irritating to eyes. Will cause severe irritation if not rinsed promptly.
Skin	Normally not irritating to the skin.
Inhalation	Vapours and mists cause irritation to the mucous membranes and upper respiratory tract. Unlikely to occur due to small amounts used.
Chronic Effects	Prolonged or repeated exposure to this product may result in skin irritation and possibly result in dermatitis in sensitive individuals.
Toxicological Data	For ethanol LD50/oral/rat:7060 mg/kg LC50/inhalation/rat:38mg/l/10h

12. ECOLOGICAL INFORMATION

Ecotoxicity	Toxicity to fish (acute): LC0/Golden ide/:>1000mg/l/48h. For ethanol Avoid contaminating waterways.
--------------------	--

13. DISPOSAL CONSIDERATIONS

Refer to Waste Management Authority. Dispose of material through licensed waste contractor. Assure conformity with all applicable regulations.

14. TRANSPORT INFORMATION

UN No.	1170
Proper Shipping Name	ETHANOL
Hazchem Code	2[Y]E
Class	3
Packing Group	III

Date of Issue: 17 September 2016

Product name: Sanifoam

15. REGULATORY INFORMATION

Classification Poisons Schedule: Schedule 5 according to the Poisons Standard March 2016

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

16. OTHER INFORMATION

Contact Point Dominant Australia. Phone 08 8245 6900
24 hour medical emergency 13 11 26

Date of preparation 17th September 2016